

VOLUME XVII, PART I.

SUBJECT INDEX.

A

Absorption Tests.

— of Tile. Appendix II, Report of Committee C-10, 353.

Address.

Addresses by Past Presidents:

A. W. Gibbs, 50; Arthur N. Talbot, 51; Robert W. Hunt, 52;
Henry M. Howe, 54; Mansfield Merriman, 55.

Annual — by the President, A. A. Stevenson, 34.

Aggregates (see also **Rock, Stone**).

Concrete and Concrete —. Report of Committee C-9, 319.

Tentative Test for Determination of Apparent Specific Gravity of
Coarse —, 776.

Air-Line Hose.

See **Hose**.

Alloys.

Non-Ferrous Metals and —. Report of Committee B-2, 178.

Sand-Cast Metals and —. Appendix II, Report of Sub-Committee III
of Committee B-2, 182.

Tentative Methods for Analysis of — of Lead, Tin, Antimony and
Copper, 622.

Tentative Specifications for the Alloy: Copper, 88 per cent; Tin, 10 per
cent; Zinc, 2 per cent, 585.

Tentative Specifications for Non-Ferrous — for Railway Equipment in
Ingots, Castings, and Finished Car and Tender Bearings, 610.

American Society for Testing Materials.

Officers and Members of the Executive Committee of —, 851.

Analysis.

Tentative Methods for — of Alloys of Lead, Tin, Antimony and
Copper, 622.

Tentative Methods for — of Creosote Oil, 826.

Tentative Methods for Laboratory Sampling and — of Coke, 813.

Tentative Methods for Routine — of Dry Red Lead, 796.

Tentative Methods for Routine — of Yellow, Orange, Red and Brown
Pigments containing Iron and Manganese, 802.

Tentative Methods for Ultimate Chemical — of Refractory Materials, 671.

Annual Meeting.

Summary of the Proceedings of the Twentieth —, 9.

VOLUME XVII, PART I.

SUBJECT INDEX.

A

Absorption Tests.

— of Tile. Appendix II, Report of Committee C-10, 353.

Address.

Addresses by Past Presidents:

A. W. Gibbs, 50; Arthur N. Talbot, 51; Robert W. Hunt, 52;
Henry M. Howe, 54; Mansfield Merriman, 55.

Annual — by the President, A. A. Stevenson, 34.

Aggregates (see also **Rock, Stone**).

Concrete and Concrete —. Report of Committee C-9, 319.

Tentative Test for Determination of Apparent Specific Gravity of
Coarse —, 776.

Air-Line Hose.

See **Hose**.

Alloys.

Non-Ferrous Metals and —. Report of Committee B-2, 178.

Sand-Cast Metals and —. Appendix II, Report of Sub-Committee III
of Committee B-2, 182.

Tentative Methods for Analysis of — of Lead, Tin, Antimony and
Copper, 622.

Tentative Specifications for the Alloy: Copper, 88 per cent; Tin, 10 per
cent; Zinc, 2 per cent, 585.

Tentative Specifications for Non-Ferrous — for Railway Equipment in
Ingots, Castings, and Finished Car and Tender Bearings, 610.

American Society for Testing Materials.

Officers and Members of the Executive Committee of —, 851.

Analysis.

Tentative Methods for — of Alloys of Lead, Tin, Antimony and
Copper, 622.

Tentative Methods for — of Creosote Oil, 826.

Tentative Methods for Laboratory Sampling and — of Coke, 813.

Tentative Methods for Routine — of Dry Red Lead, 796.

Tentative Methods for Routine — of Yellow, Orange, Red and Brown
Pigments containing Iron and Manganese, 802.

Tentative Methods for Ultimate Chemical — of Refractory Materials, 671.

Annual Meeting.

Summary of the Proceedings of the Twentieth —, 9.

Antimony.

Tentative Methods for Analysis of Alloys of Lead, Tin, — and Copper, 622.

Asphalt.

Tentative Specifications for — for Use in Damp-proofing and Waterproofing, 712.

Tentative Specifications for Primer for Use with — for Use in Damp-proofing and Waterproofing, 716.

Automobiles.

Tentative Specifications for Elliptical Springs for —, 549.

Tentative Tests for Automobile Tire Fabrics, 791.

B**Bags.**

Tentative Tests for Cotton Fabrics for Use in — and Bagging Material, 794.

Bars.

Tentative Specifications for Carbon-Steel — for Railway Springs with Special Silicon Requirements, 546.

Tentative Specifications for Copper — for Locomotive Staybolts, 592.

Beam.

Calculation of Energy Expended in Bending a —. Appendix III, Report of Committee A-1, 115.

Bearings.

Tentative Specifications for Non-Ferrous Alloys for Railway Equipment in Ingots, Castings, and Finished Car and Tender —, 610.

Belting.

Tentative Tests for Cotton Fabrics for Use in Hose, — and Similar Articles, 793.

Bituminous Materials (see also **Asphalt, Pitch, Road Materials**).

Proposed Tentative Revision of Standard Methods for Distillation of — Suitable for Road Treatment. Appendix I, Report of Committee D-4, 474.

Report of British Standard Nomenclature of — Appendix II, Report of Committee D-4, 476.

Tentative Method for Determination of Softening Point of — other than Tar Products, 811.

Blooms.

Tentative Specifications for Wrought-Iron Rolled or Forged — and Forgings for Locomotives and Cars, 573.

Boiler Steel.

Tentative Specifications for Boiler and Firebox Steel for Stationary Service, 557.

Boiler Tubes.

Tentative Specifications for Seamless Brass —, 599.

Tentative Specifications for Seamless Copper —, 595.

Boxes.

Tentative Specifications for Canned Foods —, Nailed and Lock-Corner Construction, 723.

Tentative Specifications for Canned Foods —, Wirebound Construction, 730.

Brass.

Tentative Specifications for — Forging Rod, 603.

Tentative Specifications for Free-Cutting — Rod for Use in Screw Machines, 606.

Tentative Specifications for Seamless — Boiler Tubes, 599.

Brick.

Slag Test for Refractory — Used in the Iron and Steel Industry. Appendix, Report of Committee C-8, 314.

Bridge Timbers.

Tentative Specifications for Selected Structural Douglas Fir Bridge and Trestle Timbers, 704.

Broken Stone.

Tentative Form of Specifications for Certain Commercial Grades of —, 810.

Bronze.

Tentative Specifications for the Alloy: Copper, 88 per cent; Tin, 10 per cent; Zinc, 2 per cent, 585.

Building Tile.

See **Tile**.

C**Cable.**

Tentative Specifications for Insulated Wire and —: 30 per cent Hevea Rubber, 737.

Canned Foods Boxes.

Tentative Specifications for —. Nailed and Lock-Corner Construction, 723.

Tentative Specifications for — Wirebound Construction, 730.

Carbon Steel.

Tentative Specifications for — Bars for Railway Springs with Special Silicon Requirements, 546.

Tentative Specifications for Carbon Tool Steel, 562.

Cars.

Tentative Specifications for Non-Ferrous Alloys for Railway Equipment in Ingots, Castings, and Finished Car and Tender Bearings, 610.

Tentative Specifications for Wrought-Iron Rolled or Forged Blooms and Forgings for Locomotives and —, 573.

Cast Iron (see also Malleable Iron).

— Report of Committee A-3, 133. Discussion, 135.

Tentative Specifications for — Soil Pipe and Fittings, 576.

Castings.

- Tentative Specifications for Non-Ferrous Alloys for Railway Equipment in Ingots, — and Finished Car and Tender Bearings, 610.
- Tentative Specifications for Railroad Malleable-Iron —, 582.

Cement.

- Report of Committee C-1, 196. Discussion, 198.
- Clay and — Sewer Pipe. Report of Committee C-4, 293.
- Tentative Recommended Practice for Laying Sewer Pipe, 701.
- Tentative Specifications for — -Concrete Sewer Pipe, 647.
- Tentative Specifications and Tests for Compressive Strength of Portland- — Mortars, 630.

Chemical Analysis.

See Analysis.

Clay Products.

- Clay and Cement Sewer Pipe. Report of Committee C-4, 293.
- Tentative Recommended Practice for Laying Sewer Pipe, 701.
- Tentative Specifications for Clay Sewer Pipe, 634.

Coal-Tar Pitch.

See Pitch.

Coatings.

- Preservative — for Structural Materials. Report of Committee D-1, 363.

Coke.

- Tentative Methods for Laboratory Sampling and Analysis of —, 813.

Colorimetric Tests.

- Suggested — for Organic Impurities in Sand. Appendix II, Report of Committee C-9, 327.

Compression Tests.

- of Tile. Appendix I, Report of Committee C-10, 338.

Concrete.

- and — Aggregates. Report of Committee C-9, 319.
- Final Report of the Joint Committee on — and Reinforced — 202. Discussion, 263.
- Reinforced —. Report of Committee C-2, 201. Discussion, 263.
- Suggested Methods for Making and Testing Field Specimens of —. Appendix I, Report of Committee C-9, 322.
- Tentative Specifications for Cement—Sewer Pipe, 647.

Containers (see also Boxes).

- Shipping —. Report of Committee D-10, 493.

Copper.

- Tentative Methods for Analysis of Alloys of Lead, Tin, Antimony and —, 622.
- Tentative Specifications for — Bars for Locomotive Staybolts, 592.
- Tentative Specifications for — Plates for Locomotive Fireboxes, 588.
- Tentative Specifications for Seamless — Boiler Tubes, 595.
- Tentative Specifications for the Alloy: —, 88 per cent; Tin, 10 per cent; Zinc, 2 per cent, 585.

Copper Wire.

Tentative Specifications for Insulated Wire and Cable: 30 per cent Hevea Rubber, 737.

Corrosion.

— of Iron and Steel. Report of Committee A-5, 143. Discussion, 175.

Cotton Fabrics (see also **Textile Materials**).

Tentative General Methods for Testing —, 829.

Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton Rubber-Lined Fire Hose for Public Fire Department Use, 732.

Tentative Tests for Automobile Tire Fabrics, 791.

Tentative Tests for — for Use in Bags and Bagging Material, 794.

Tentative Tests for — for Use in Hose, Belting and Similar Articles, 793.

Creosote Oil.

Tentative Methods for Analysis of —, 826.

Tentative Specifications for — for Priming Coat with Coal-Tar Pitch for Use in Damp-proofing and Waterproofing, 721.

Creosoted Timber.

Tentative Specifications for Southern Yellow-Pine Piles and Poles to be Creosoted, 710.

Tentative Specifications for Southern Yellow-Pine Timber to be Creosoted, 708.

D**Damp-proofing.**

Tentative Specifications for Asphalt for Use in — and Waterproofing, 712.

Tentative Specifications for Coal-Tar Pitch for Use in — and Waterproofing, 717.

Tentative Specifications for Creosote Oil for Priming Coat with Coal-Tar Pitch for Use in — and Waterproofing, 721.

Tentative Specifications for Primer for Use with Asphalt for Use in — and Waterproofing, 716.

Definitions of Terms.

Tentative Definitions and Rules Governing the Preparation of Micrographs of Metals and Alloys, 838.

Tentative — Relating to the Gypsum Industry, 681.

Tentative — Relating to Materials for Roads and Pavements, 836.

Douglas Fir.

See **Fir**.

Drain Tile.

— Report of Committee C-6, 311.

E**Electrical Insulation** (see also **Insulated Wire, Insulating Materials**).

— Report of Committee D-9, 489. Discussion, 491.

Elliptical Springs.

See **Springs**.

Energy.

Calculation of — Expended in Bending a Beam. Appendix III, Report of Committee A-1 on Steel, 115.

Executive Committee.

Annual Report of the —, 56.

Officers and Members of the —, 851.

F

Fabrics (see also Textile Materials).

Tentative General Methods for Testing Cotton —, 829.

Tentative Tests for Automobile Tire —, 791.

Tentative Tests for Cotton — for Use in Bags and Bagging Material, 794.

Tentative Tests for Cotton — for Use in Hose, Belting and Similar Articles, 793.

Ferrous Metals (see also Iron, Steel).

Tentative Standards for —. See Table of Contents, 5.

Field Specimens.

Suggested Methods for Making and Testing — of Concrete. Appendix I, Report of Committee C-9, 322.

Finished Castings.

See Castings.

Fir.

Tentative Specifications for Selected Structural Douglas — Bridge and Trestle Timbers, 704.

Fireboxes.

Tentative Specifications for Boiler and Firebox Steel for Stationary Service, 557.

Tentative Specifications for Copper Plates for Locomotive —, 588.

Fire Hose.

Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton Rubber-Lined — for Public Fire Department Use, 732.

Fireproofing.

— Report of Committee C-5, 295. Discussion, 300.

Fire Tests.

Tentative Method for Control of — and Classification of Materials and Construction as Determined by Test, 679.

Fittings.

Tentative Specifications for Cast-Iron Soil Pipe and —, 576.

Forgings.

Tentative Specifications for Brass Forging Rod, 603.

Tentative Specifications for Wrought-Iron Rolled or Forged Blooms and — for Locomotives and Cars, 573.

G

Government Bronze.

See Bronze.

Gypsum.

Tentative Definitions of Terms Relating to the — Industry, 681.

H**Hevea Rubber.**

See Rubber.

Hollow Tile.

See Tile.

Hose.

Tentative Specifications for Air-Line — for Pneumatic Tools, 763.

Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton Rubber-Lined Fire — for Public Fire Department Use, 732.

Tentative Tests for Cotton Fabrics for Use in —, Belting and Similar Articles, 793.

Hydrated Lime.

See Lime.

I**Ingots.**

Tentative Specifications for Non-Ferrous Alloys for Railway Equipment in —, Castings, and Finished Car and Tender Bearings, 610.

Insulated Wire.

Tentative Specifications for — and Cable: 30 per cent Hevea Rubber, 737.

Insulating Materials.

Electrical Insulation. Report of Committee D-9, 489. Discussion, 491.

Tentative Tests for Molded —, 778.

Iron.

Cast —. Report of Committee A-3, 133. Discussion, 135.

Corrosion of — and Steel. Report of Committee A-5, 143. Discussion, 175.

Preparation of — and Steel Surfaces for Painting. Report of Subcommittee XIV of Committee D-1, 451.

Slag Test for Refractory Brick Used in the — and Steel Industry. Appendix, Report of Committee C-8, 314.

Tentative Specifications for Cast— Soil Pipe and Fittings, 576.

Tentative Specifications for Railroad Malleable— Castings, 582.

Tentative Specifications for Staybolt —, 564.

Tentative Specifications for Wrought— Pipe, 568.

Tentative Specifications for Wrought— Rolled or Forged Blooms and Forgings for Locomotives and Cars, 573.

Wrought —. Report of Committee A-2, 130.

L**Laboratory Sampling.**

See Sampling.

Lead (see also Red Lead).

Tentative Methods for Analysis of Alloys of —, Tin, Antimony and Copper, 622.

Lime.

- Report of Committee C-7, 312.
- Tentative Specifications for Masons' Hydrated —, 661.

Linseed Oil.

- Report of Sub-Committee V of Committee D-1, 377.

Locomotives.

- Tentative Specifications for Copper Bars for Locomotive Staybolts, 592.
- Tentative Specifications for Copper Plates for Locomotive Fireboxes, 588.
- Tentative Specifications for Wrought-Iron Rolled or Forged Blooms and Forgings for — and Cars, 573.

Lubricants (see also Oil).

- Report of Committee D-2, 462.
- Tentative Tests for —, 767.

Lumbang Oil.

- Report of Sub-Committee III of Committee D-1, 365. Appendix I, 366.
- Appendix II, 375.

M**Magnification Scales (see also Micrographs).**

- for Micrographs. Report of Committee E-4, 508. Discussion, 509.

Malleable Iron.

- Tentative Specifications for Railroad — Castings, 582.

Masons' Lime.

- See **Lime**.

Materials.

- Preservative Coatings for Structural —. Report of Committee D-1, 363.
- Road —. Report of Committee D-4, 470.
- Tentative Standards for Miscellaneous —. See Table of Contents, 7.
- Textile —. Report of Committee D-13, 497.

Metallic Coatings.

- Preservative — for Metals. Appendix, Report of Sub-Committee II of Committee A-5, 144.

Methods.

- of Testing. Report of Committee E-1, 499.
- Suggested — for Making and Testing Field Specimens of Concrete. Appendix I, Report of Committee C-9, 322.
- Tentative —. See Table of Contents, 5.

Micrographs.

- Magnification Scales for —. Report of Committee E-4, 508. Discussion, 509.
- Tentative Definitions and Rules Governing the Preparation of — of Metals and Alloys, 838.

Mortars.

- Tentative Specifications and Tests for Compressive Strength of Portland-Cement —, 630.

N**Non-Ferrous Metals** (see also **Brass, Copper, Spelter, Tin**).

— and Alloys. Report of Committee B-2, 178.

Tentative Methods for Analysis of Alloys of Lead, Tin, Antimony and Copper, 622.

Tentative Specifications for Non-Ferrous Alloys for Railway Equipment in Ingots, Castings, and Finished Car and Tender Bearings, 610.

Tentative Standards for —. See Table of Contents, 6.

O**Officers.**

— and Members of the Executive Committee, 851.

Oil (see also **Lubricants**).

Linseed —. Report of Sub-Committee V of Committee D-1, 377.

Lumbang —. Report of Sub-Committee III of Committee D-1, 365.

Perilla —. Report of Sub-Committee III of Committee D-1, 365.

Tentative Methods for Analysis of Creosote —, 826.

Tentative Specifications for Creosote—for Priming Coat with Coal-Tar Pitch for Use in Damp-proofing and Waterproofing, 721.

Organic Impurities.

Suggested Colorimetric Tests for — in Sand. Appendix II, Report of Committee C-9, 327.

P**Paint** (see also **Pigments, Preservative Coatings**).

Methods of Analysis of — Materials. Report of Sub-Committee VIII of Committee D-1, 385.

— Thinners other than Turpentine. Report of Sub-Committee XI of Committee D-1, 402.

Preparation of Iron and Steel Surfaces for Painting. Report of Sub-Committee XIV of Committee D-1, 451.

Testing of — Vehicles. Report of Sub-Committee III of Committee D-1, 365.

Papers.

— and Publications. Report of Committee E-6, 529.

Pavements.

Tentative Definitions of Terms Relating to Materials for Roads and —, 836.

Perilla Oil.

Report of Sub-Committee III of Committee D-1, 365. Appendix I, 366. Appendix II, 375.

Pigments.

Specifications for — Dry and in Oil when Marketed in the Form. Report of Sub-Committee XV of Committee D-1, 458.

Tentative Methods for Routine Analysis of Dry Red Lead, 796.

Tentative Methods for Routine Analysis of Yellow, Orange, Red and Brown — containing Iron and Manganese, 802.

Piles.

Tentative Specifications for Southern Yellow-Pine — and Poles to be Creosoted, 710.

Pine.

Tentative Specifications for Southern Yellow- — Piles and Poles to be Creosoted, 710.

Tentative Specifications for Southern Yellow- — Timber to be Creosoted, 708.

Pipe.

Clay and Cement Sewer —. Report of Committee C-4, 293.

Revision of — Threads. Report of Committee E-3, 504.

Tentative Recommended Practice for Laying Sewer —, 701.

Tentative Specifications for Cast-Iron Soil — and Fittings, 576.

Tentative Specifications for Cement-Concrete Sewer —, 647.

Tentative Specifications for Clay Sewer —, 634.

Tentative Specifications for Required Safe Crushing Strengths of Sewer — to carry Loads from Ditch Filling, 659.

Tentative Specifications for Wrought-Iron —, 568.

Pitch.

Tentative Specifications for Coal-Tar — for Use in Damp-proofing and Waterproofing, 716.

Tentative Specifications for Cresote Oil for Priming Coat with Coal-Tar — for Use in Damp-proofing and Waterproofing, 721.

Plates.

Tentative Specifications for Copper — for Locomotive Fireboxes, 588.

Tentative Specifications for Steel Tie —, 541.

Pneumatic Tools.

Tentative Specifications for Air-Line Hose for —, 763.

Poles.

Tentative Specifications for Southern Yellow-Pine Piles and — to be Creosoted, 710.

Portland Cement.

See **Cement.**

Preservative Coatings.

— for Structural Materials. Report of Committee D-1, 363.

Preservative Metallic Coatings.

— for Metals. Appendix, Report of Sub-Committee II of Committee A-5, 144.

President's Address.

See **Address.**

Primer.

Tentative Specifications for Cresote Oil for Priming Coat with Coal-Tar Pitch for Use in Damp-proofing and Waterproofing, 721.

Tentative Specifications for — for Use with Asphalt for Use in Damp-proofing and Waterproofing, 716.

Proceedings.

Summary of the — of the Twentieth Annual Meeting, 9.

Publications.

Papers and —. Report of Committee E-6, 529.

R**Rail.**

The — Situation. Appendix II, Report of Committee A-1 on Steel, 111.

Railway (see also **Brass, Copper, Iron, Steel**).

Tentative Specifications for Carbon-Steel Bars for — Springs with Special Silicon Requirements, 546.

Tentative Specifications for Non-Ferrous Alloys for — Equipment in Ingots, Castings, and Finished Car and Tender Bearings, 610.

Tentative Specifications for Railroad Malleable-Iron Castings, 582.

Recommended Practice.

Tentative — for Laying Sewer Pipe, 701.

Red Lead.

Tentative Methods for Routine Analysis of Dry —, 796.

Refractory Materials.

Refractories. Report of Committee C-8, 313.

Slag Test for Refractory Brick Used in the Iron and Steel Industry. Appendix, Report of Committee C-8, 314.

Tentative Methods for Ultimate Chemical Analysis of —, 671.

Tentative Test for — under Load at High Temperatures, 665.

Tentative Test for Slagging Action of —, 669.

Regulations.

Changes in the — Governing Standing Committees. Appendix I, Report of Committee E-5, 516.

Reinforced Concrete.

Final Report of the Joint Committee on Concrete and —, 202. Discussion, 263.

— Report of Committee C-2, 201. Discussion, 263.

Road Materials (see also **Aggregate, Rock, Stone**).

Report of Joint Conference Committee of Committees C-9 and D-4 on Provisional Definitions, Tests and Methods Pertaining to Non-Bituminous —. Appendix III, Report of Committee C-9, 334.

— Report of Committee D-4, 470.

Tentative Definitions of Terms Relating to Materials for Roads and Pavements, 836.

Rock (see also **Stone**).

Tentative Test for Toughness of —, 773.

Rods.

Tentative Specifications for Brass Forging Rod, 603.

Tentative Specifications for Free-Cutting Brass Rod for Use in Screw Machines, 606.

Rubber.

- Products. Report of Committee D-11, 494.
- Tentative Specifications for Air-Line Hose for Pneumatic Tools, 763.
- Tentative Specifications for Insulated Wire and Cable: 30 per cent Hevea —, 737.
- Tentative Specifications for 2½, 3, and 3½-in. Double-Jacketed Cotton — Lined Fire Hose for Public Fire Department Use, 732.

S

Sampling.

- Tentative Methods for Laboratory — and Analysis of Coke, 813.

Sand.

- Suggested Colorimetric Tests for Organic Impurities in —. Appendix II, Report of Committee C-9, 327.

Sand-Cast Metals.

- and Alloys. Appendix II, Report of Sub-Committee III of Committee B-2, 182.

Screw Machines.

- Tentative Specifications for Free-Cutting Brass Rod for Use in —, 606.

Screw Spikes.

- Tentative Specifications for Steel —, 539.

Seamless Tubes.

- See Tubes.

Sewer Pipe.

- Clay and Cement —. Report of Committee C-4, 293.
- Tentative Recommended Practice for Laying —, 701.
- Tentative Specifications for Cement-Concrete —, 647.
- Tentative Specifications for Clay —, 634.
- Tentative Specifications for Required Safe Crushing Strengths of — to Carry Loads from Ditch Filling, 659.

Shipping Containers (see also Boxes).

- Report of Committee D-10, 493.

Silicon.

- Tentative Specifications for Carbon-Steel Bars for Railway Springs with Special — Requirements, 546.

Slag Test.

- for Refractory Brick Used in the Iron and Steel Industry. Appendix, Report of Committee C-8, 314.
- Tentative Test for Slagging Action of Refractory Materials, 669.

Softening Point.

- Tentative Method for Determination of — of Bituminous Materials other than Tar Products, 811.

Soil Pipe.

- Tentative Specifications for Cast-Iron — and Fittings, 576.

Southern Yellow Pine.

- See Pine.

Specific Gravity.

Tentative Test for Determination of Apparent — of Coarse Aggregates, 776.

Specifications.

Tentative —. See Table of Contents, 5.

Spelter (see also **Zinc**).

Proposed Revisions in Standard Specifications for —. Appendix I, Report of Committee B-2, 180.

Tentative Specifications for —, 615.

Spikes.

Tentative Specifications for Steel Screw —, 539.

Tentative Specifications for Steel Track —, 537.

Springs.

Tentative Specifications for Carbon-Steel Bars for Railway — with Special Silicon Requirements, 546.

Tentative Specifications for Elliptical — for Automobiles, 549.

Standards.

Tentative —. See Table of Contents, 5.

Standing Committees.

Changes in the Regulations Governing —. Appendix I, Report of Committee E-5, 516.

—, Report of Committee E-5, 512.

Statement of Sub-Committee on Classification of — and Standards. Appendix II, Report of Committee E-5, 519.

Staybolts.

Tentative Specifications for Copper Bars for Locomotive —, 592.

Tentative Specifications for Staybolt Iron, 564.

Steel.

Corrosion of Iron and —. Report of Committee A-5, 143. Discussion, 175.

Preparation of Iron and — Surfaces for Painting. Report of Sub-Committee XIV of Committee D-1, 451.

Slag Test for Refractory Brick Used in the Iron and — Industry. Appendix, Report of Committee C-8, 314.

—, Report of Committee A-1, 86. Discussion, 121.

Tentative Specifications for Boiler and Firebox — for Stationary Service, 557.

Tentative Specifications for Carbon- — Bars for Railway Springs with Special Silicon Requirements, 546.

Tentative Specifications for Carbon Tool —, 562.

Tentative Specifications for Elliptical Springs for Automobiles, 549.

Tentative Specifications for — Screw Spikes, 539.

Tentative Specifications for — Tie Plates, 541.

Tentative Specifications for — Track Spikes, 537.

Stone (see also **Rock**).

Tentative Form of Specifications for Certain Commercial Grades of Broken —, 810.

Structural Materials.

Preservative Coatings for —. Report of Committee D-1, 363.

Structural Timber.

See Timber.

Summary of the Proceedings.

— of the Twentieth Annual Meeting, 9.

T**Tender Bearings.**

See Bearings.

Tentative Revisions of Standards.

—, 849.

Tentative Standards.

See Table of Contents, 5.

Testing (see also Tests).

Methods of —. Report of Committee E-1, 499.

Suggested Methods for Making and — Field Specimens of Concrete.

Appendix I, Report of Committee C-9, 322.

Tentative General Methods for — Cotton Fabrics, 829.

— of Paint Vehicles. Report of Sub-Committee III of Committee D-1, 365.

Tests (see also Testing).

Absorption — of Tile. Appendix II, Report of Committee C-10, 353.

Compression — of Tile. Appendix I, Report of Committee C-10, 338.

Report of Sub-Committee on Effect of Form and Size of Test Piece.

Appendix, Report of Committee E-1, 502.

Slag — for Refractory Brick Used in the Iron and Steel Industry.

Appendix, Report of Committee C-8, 314.

Suggested Colorimetric — for Organic Impurities in Sand. Appendix II,

Report of Committee C-9, 327.

Tentative Method for Control of Fire — and Classification of Materials
and Construction as Determined by Test, 679.

Tentative —. See Table of Contents, 5.

— of Tile Walls. Appendix III, Report of Committee C-10, 359.

Textile Materials (see also Fabrics).

—. Report of Committee D-13, 497.

Thinners.

Paint — other than Turpentine. Report of Sub-Committee XI of
Committee D-1, 402.

Threads.

Revision of Pipe —. Report of Committee E-3, 504.

Tie Plates.

Tentative Specifications for Steel —, 541.

Tile.

Absorption Tests of —. Appendix II, Report of Committee C-10, 353.

Compression Tests of —. Appendix I, Report of Committee C-10, 338.

Drain —. Report of Committee C-6, 311.

Hollow Building —. Report of Committee C-10, 335.

Tests of — Walls. Appendix III, Report of Committee C-10, 359.

Timber.

- Report of Committee D-7, 483.
- Tentative Specifications for Selected Structural Douglas Fir Bridge and Trestle Timbers, 704.
- Tentative Specifications for Southern Yellow-Pine Piles and Poles to be Creosoted, 710.
- Tentative Specifications for Southern Yellow-Pine — to be Creosoted, 708.

Tin.

- Tentative Specifications for the Alloy: Copper, 88 per cent; —, 10 per cent; Zinc, 2 per cent, 585.
- Tentative Methods for Analysis of Alloys of Lead, —, Antimony and Copper, 622.

Tire Fabrics.

- Tentative Tests for Automobile —, 791.

Tool Steel.

- Tentative Specifications for Carbon —, 562.

Tools.

- Tentative Specifications for Air-Line Hose for Pneumatic —, 763.

Toughness.

- Tentative Test for — of Rock, 773.

Track Spikes.

- Tentative Specifications for Steel —, 537.

Trestle Timbers.

- Tentative Specifications for Selected Structural Douglas Fir Bridge and —, 704.

Tubes.

- Tentative Specifications for Seamless Brass Boiler —, 599.
- Tentative Specifications for Seamless Copper Boiler —, 595.

V**Varnish.**

- Report of Sub-Committee IX of Committee D-1, 386.

W**Walls.**

- Tests of Tile —. Appendix III, Report of Committee C-10, 359.

Waterproofing.

- Tentative Specifications for Asphalt for Use in Damp-proofing and —, 712.
- Tentative Specifications for Coal-Tar Pitch for Use in Damp-proofing and —, 717.
- Tentative Specifications for Creosote Oil for Priming Coat with Coal-Tar Pitch for Use in Damp-proofing and —, 721.
- Tentative Specifications for Primer for Use with Asphalt for Use in Damp-proofing and —, 712.
- Report of Committee D-8, 487.

Wire.

Tentative Specifications for Insulated — and Cable: 30 per cent Hevea Rubber, 737.

Wrought Iron.

Tentative Specifications for Staybolt Iron, 564.

Tentative Specifications for — Pipe, 568.

Tentative Specifications for — Rolled or Forged Blooms and Forgings for Locomotives and Cars, 573.

— Report of Committee A-2, 130.

Y

Yellow Pine.

See Pine.

Z

Zinc (see also Spelter).

Tentative Specifications for the Alloy: Copper, 88 per cent; Tin, 10 per cent; —, 2 per cent, 585.

AUTHOR INDEX.

A

- Abbott, F. E.**
Discussion, 122.
- Aertsen, G.**
Discussion, 127.
- Aiken, W. A.**
Report of Committee D-8 on Waterproofing, 487.
- Ashton, Ernest.**
Discussion, 271, 272.

B

- Barrier, Edw. A.**
Report of Committee D-11 on Rubber Products, 494.
- Bassett, W. H.**
Report of Committee E-4 on Magnification Scales for Micrographs, 508.
- Bates, P. H.**
Report of Committee C-1 on Cement, 196.
Discussion, 274.
- Bell, M. L.**
Report of Committee C-8 on Refractories. Appendix: Slag Test for Refractory Brick Used in the Iron and Steel Industry, 314.
- Bleininger, A. V.**
Report of Committee C-8 on Refractories, 313.
- Bragg, C. T.**
Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 390.
- Brown, C. G.**
Discussion, 175.
- Burleigh, W. F.**
Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.
- Burrows, C. W.**
Statement of Sub-Committee of Committee E-5 on Classification of Standing Committees and Standards, 519.

C

- Campbell, William**
Report of Committee B-2 on Non-Ferrous Metals and Alloys, 178.
- Capp, J. A.**
Report of Sub-Committee III of Committee B-2 on Sand-Cast Metals and Alloys, 188.

Carnahan, R. B., Jr.

Discussion, 176.

Carpenter, A. W.

Report of Sub-Committee XIV of Committee D-1 on the Preparation of Iron and Steel Surfaces for Painting, 451.

Carson, Harry Y.

Discussion, 135.

Chapman, Cloyd M.

Report of Sub-Committee XI of Committee D-1 on Paint Thinners other than Turpentine, 402.

Clamer, G. H.

Report of Sub-Committee III of Committee B-2 on Sand-Cast Metals and Alloys, 186.

Cole, E. J.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.

Collins, T. R.

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 370.

Comstock, George F.

Discussion, 509.

Conwell, E. L.

Report of Committee C-7 on Lime, 312.

Corse, W. M.

Report of Sub-Committee III of Committee B-2 on Sand-Cast Metals and Alloys, 190.

Coyle, Francis B.

Discussion, 124.

D

Darke, J. M.

Discussion, 124, 125, 126.

Davies, G. C.

Report of Committee A-3 on Cast Iron, 133.

Devries, R. P.

Discussion, 126, 129.

Dewar, John

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 394.

Dunn, B. W.

Report of Committee D-10 on Shipping Containers, 493.

E

Ehrenfeld, C. H.

Discussion, 127.

Enright, Bernard.

Discussion, 198, 264.

F**Ferguson, Lewis, R.**

Report of Committee C-9 on Concrete and Concrete Aggregates, 319.

Fort, E. J.

Report of Committee C-4 on Clay and Cement Sewer Pipe, 293.

G**Gardner, H. A.**

Report of Sub-Committee III of Committee D-1 on Testing of Paint Vehicles, 365. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 366.

Gibboney, J. H.

Discussion, 122, 175, 176.

Gibbs, A. W.

Addresses by Past Presidents, 50.

Goodell, J. M.

Discussion, 273.

Greenman, R. S.

Report of Committee C-1 on Cement, 196.

Discussion, 200.

H**Hartshorne, Wm. D.**

Report of Committee D-13 on Textile Materials, 497.

Hatt, W. K.

Discussion, 272, 276, 280.

Hering, Rudolph.

Report of Committee C-4 on Clay and Cement Sewer Pipe, 293.

Hoffman, N. B.

Discussion, 124.

Holton, E. C.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 390.

Howe, Henry M.

Addresses by Past Presidents, 54.

Discussion, 128.

Hubbard, Prévost.

Report of Committee D-4 on Road Materials, 470.

Hull, W. A.

Discussion, 307.

Humphrey, Richard L.

Report of Committee C-2 on Reinforced Concrete, 201.

Statement of Sub-Committee of Committee E-5 on Classification of Standing Committees and Standards, 519.

Discussion, 263, 270, 271, 275, 277.

Hunnings, S. V.

Report of Committee A-2 on Wrought Iron, 130.

Hunt, Capt. Robert W.

Addresses by Past Presidents, 52.

Discussion, 121, 122, 123.

I**Ingalls, E.**

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 390.

Ingalls, F. P.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.

Ingberg, S. H.

Discussion, 308.

J**Jones, J. L.**

Report of Sub-Committee III of Committee B-2 on Sand-Cast Metals and Alloys, 187, 191, 194.

K**Kellogg, J. W.**

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 369.

Kinney, W. M.

Discussion, 273, 279.

L**Lanza, Gaetano.**

Report of Committee E-1 on Methods of Testing, 499.

Law, Leroy M.

Report of Committee D-8 on Waterproofing, 487.

Lindsay, R. W.

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 371.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.

M**Macgregor, James S.**

Report of Committee C-7 on Lime, 312.

Mackenzie, K. G.

Report of Committee D-2 on Lubricants, 462.

Marburg, Edgar.

Annual Report of the Executive Committee, 56.

Report of Committee E-6 on Papers and Publications, 529.

Marston, A.

Report of Committee C-6 on Drain Tile, 311.

Martin, E. W.

Report of Sub-Committee V of Committee D-1. Appendix: Reports of Analysts, 379.

Mathews, J. A.

Discussion, 510.

Merriman, Mansfield.

Addresses by Past Presidents, 55.

Miller, Rudolph P.

Report of Committee C-5 on Fireproofing, 295.

Mills, C. B.

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 371.

Report of Sub-Committee V of Committee D-1. Appendix: Reports of Analysts, 378.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.

Moldenke, Richard.

Report of Committee A-3 on Cast Iron, 133.

Discussion, 122.

Moore, H. F.

Report of Sub-Committee of Committee E-1 on Effect of Form and Size of Test Piece, 502.

N**Nemzek, L. P.**

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 370.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.

Nesbitt, C. E.

Report of Committee C-8 on Refractories. Appendix: Slag Test for Refractory Brick Used in the Iron and Steel Industry, 314.

Nolan, Thomas.

Discussion, 275.

P**Page, L. W.**

Report of Committee D-4 on Road Materials, 470.

Patch, N. K. B.

Report of Sub-Committee III of Committee B-2 on Sand-Cast Metals and Alloys, 187, 188.

Pickard, Glenn H.

Report of Sub-Committee V of Committee D-1 on Linseed Oil, 377. Appendix: Reports of Analysts, 379.

Probeck, E. J.

Report of Sub-Committee V of Committee D-1. Appendix: Reports of Analysts, 384.

Provine, L. H.

Report of Committee C-10 on Hollow Building Tile, 335.

Provost, A. J., Jr.

Report of Committee C-4 on Clay and Cement Sewer Pipe, 293.

R**Rawdon, H. S.**

Discussion, 176.

Rhett, A. H.

Discussion, 264.

Rogers, Allen.

Report of Sub-Committee IX of Committee D-1 on Varnish, 386.

Appendix: Reports of Analysts, 396.

S**Sabin, A. H.**

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.

Seaton, M. Y.

Report of Sub-Committee V of Committee D-1. Appendix: Reports of Analysts, 382.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 390.

Shuman, J. J.

Discussion, 123.

Skinner, C. E.

Report of Committee D-9 on Electrical Insulation, 489.

Report of Committee E-5 on Standing Committees, 512.

Discussion, 491, 492.

Slater, W. A.

Discussion, 175, 177, 279, 300, 303, 304, 305, 491, 492.

Smith, H. E.

Discussion, 491.

Smither, F. W.

Report of Sub-Committee VIII of Committee D-1 on Methods of Analysis of Paint Materials, 385.

Spring, L. W.

Report of Sub-Committee III of Committee B-2 on Sand-Cast Metals and Alloys, 192.

Stevenson, A. A.

Annual Address by the President—Our Society, 34.

Annual Report of the Executive Committee, 56.

Stone, G. C.

Report of Sub-Committee XV of Committee D-1 on Specifications for Pigments Dry and in Oil when Marketed in the Form, 458.

Strehan, G. E.

Discussion, 301, 303, 304, 305.

T**Talbot, Arthur N.**

Addresses by Past Presidents, 51.

Discussion, 276, 280.

Thackray, G. E.

Discussion, 122.

Thompson, G. W.

Report of Committee D-1 on Preservative Coatings for Structural Materials, 363.

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 371.

Report of Sub-Committee V of Committee D-1. Appendix: Reports of Analysts, 378.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 391.

Thompson, Sanford E.

Report of Committee C-9 on Concrete and Concrete Aggregates, 319.

Discussion, 272, 278.

Topping, W. S.

Report of Committee D-10 on Shipping Containers, 493.

Turneure, F. E.

Report of Committee C-2 on Reinforced Concrete, 201.

V**Van Gundy, C. P.**

Report of Committee D-2 on Lubricants, 462.

von Schrenk, Hermann.

Report of Committee D-7 on Timber, 483.

Voorhees, S. S.

Report of Committee A-5 on Corrosion of Iron and Steel, 143.

Statement of Sub-Committee of Committee E-5 on Classification of Standing Committees and Standards, 519.

Discussion, 128, 175, 176.

W**Walker, P. H.**

Report of Committee D-1 on Preservative Coatings for Structural Materials, 363.

Waring, F. M.

Report of Committee D-11 on Rubber Products, 494.

Warwick, C. L.

Report of Committee A-1 on Steel, 86.

Webbert, L. P.

Report of Sub-Committee III of Committee B-2 on Sand-Cast Metals and Alloys, 182.

Wertz, F. A.

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 372.

Report of Sub-Committee V of Committee D-1. Appendix: Reports of Analysts, 380.

Report of Sub-Committee IX of Committee D-1. Appendix: Reports of Analysts, 390.

White, G. D.

Report of Sub-Committee III of Committee D-1. Appendix: Reports of Analysts on Lumbang and Perilla Oils, 370.

Wig, R. J.

Discussion, 266, 274, 278, 280.

Wille, H. V.

Report of Committee E-3 on Revision of Pipe Threads, 504.

Woolson, Ira H.

Report of Committee C-5 on Fireproofing, 295.

Y**Young, C. D.**

Report of Committee A-1 on Steel, 86.

Discussion, 121, 125.

Young, J. B.

Report of Committee A-2 on Wrought Iron, 130.